





Essence® & Elegance™ Shower Cubicles

Our shower cubicles are self-contained enclosed units and can be installed in an upstairs or downstairs room. Ideal for those who need to have their bathing solution nearby.

- Simple to Install, includes full instructions and fittings.
- Does not require any tiling and only requires the services to be connected.
- Is surrounded on either 2 or 3 sides, and has a large choice of full or half height, corner entry or saloon doors.
- Cubicle can be installed as a permanent fixture or relocated easily in any room either upstairs or downstairs.
- Half height door version comes with curtain rail and curtain and all 3 sided cubicles have a full width grab bar.
- Optional extras include a roof and ramps for assisted Wheeled Shower Chair access.
- Maximum height of the cubicle is 2050mm (Base 32mm / 40mm).
- Base 32mm / 40mm: Choice of waste 50mm or 90mm Ø inlet / 1½" Ø outlet or a pump waste (will require our waste pump).
- Base weight capacity 380 kg / 60 stone (Bariatric). Access base 275 kg / 43 stone.







EU Construction Products Regulation (EU) No 305/2011 (CPR)
 BS EN 14428 : 2015 Shower Enclosures/Doors
 BS EN 14527 : 2016 Shower Trays
 BS EN 12150 : 2015 Glass in building.
 Thermally toughened soda lime silicate safety glass.
 BS EN 12600 : 2002 Glass in building. Pendulum test.
 Impact test method and classification for flat glass.



Access base



Tile Effect Water Proof Wall Options



Tile effect panels are double-faced with a 23.5 x23.5mm small gloss tile on one side, and a 47x 47mm matt tile on the reverse.